Regd.Office: Kosamattam City Centre Floor No. 4th & 5th, T.B Road Kottayam, Kerala - 686 001 Tel: +91 481 2586400 Email: info@kosamattam.com www.kosamattam.com CIN.U65929KL1987PLC004729



February 03, 2024

To,

Bombay Stock Exchange Limited,Phiroze Jeejeebhoy Tower, Dalal Street, Fort Mumbai – 400 001

Dear Sir,

Sub.: Disclosure required under Regulation 52(7) of Securities and Exchange Board of India (Listing obligations and disclosure requirements) Regulations, 2015 for the period ended December 31, 2023.

Ref : Regulation 52(7) and 52(7A) of Securities and Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015

Pursuant to Regulation 52(7) and Regulation 52 (7A) of SEBI (Listing Obligations and Disclosure Requirements) Regulation 2015 and in compliance with SEBI operational Circular SEBI/HO/DDHS/DDHS_Div1/P/CIR/2022/0000000103 dated July 29, 2022 we are furnishing herewith Utilization of issue proceeds of non-convertible securities and Statement of deviation/variation in use of Issue proceeds for the quarter ended December 31,2023.

Kindly take the same on record.

For Kosamattam Finance Limited

Mathew K. Cherian Managing Director

DIN: 01286073

Registers Office ITT

Regd.Office: Kosamattam City Centre Floor No. 4th & 5th, T.B Road Kottayam, Kerala - 686 001

Tel: +91 481 2586400 Email: info@kosamattam.com www.kosamattam.com CIN.U65929KL1987PLC004729



Annexure-1

UTILISATION CERTIFICATE

As required by Regulation 52(7) and 52(7A) of SEBI (Listing Obligation and Disclosure Requirements) Regulations, 2015 we hereby certify the following:

- 1. The proceeds of Non-Convertible Debentures issued by the Company till December 31, 2023 have been fully utilized for the purpose for which these proceeds were raised.
- 2. There is no deviation in the use of proceeds of Non-Convertible Debentures as the same has been utilized as per the objects of the issue.
- 3. Statement of utilization is as follows:

Name of the	ISIN	Mode of	Type of	Date of	Amount Raised	Funds utilized	Any	If 8 is	Rema
Issuer		Fund	instrument	raising			deviation	Yes, then	rks, if
		Raising		funds			(Yes/No)	specify	any
		(Public						the	
		issues/						purpose	
		Private						of for	
		placement)						which the	
								funds	
								were	
								utilized	
1	2	3	4	5	6	7	8	9	10
Kosamattam Finance Limited	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil

B. Statement of deviation/ variation in use of Issue proceeds:

Particulars	Remarks			
Name of listed entity	KOSAMATTAM FINANCE LIMITED			
Mode of fund raising	Nil			
Type of instrument	Nil			
Date of raising funds/Date of fund transfer to Current A/c	Nil			
Amount raised	Nil			
Report filed for quarter ended	December 31,2023			
Is there a deviation/ variation in use of funds raised?	No			
Whether any approval is required to vary the objects of	Na			
the issue stated in the prospectus/ offer document?				
If Yes, details of the approval so require?	Na			
Date of approval	Na			
Explanation for the deviation/ variation	Na			
Comments of the audit committee after review	Na			
Comments of the auditors, if any	Na			
Objects for which funds have been raised and where there	has been a deviation/ variation, in the following			

Objects for which funds have been raised and where there has been a deviation/ variation, in the following table:

Original	Modified	Original	Modified	Funds	Amount of	Remarks, if
Object	Object, if	allocation	allocation,	Utilised	Deviation/	any
	any		if any		Variation	
					for	
					the half	
					year	
					according	
					to	
					applicable	
					object (INR	
					crores and	
					in	
					%)	

Regd.Office: Kosamattam City Centre Floor No. 4th & 5th, T.B Road Kottayam, Kerala - 686 001 Tel: +91 481 2586400 Email: info@kosamattam.com www.kosamattam.com CIN.U65929KL1987PLC004729



Not Applicable

Deviation could mean:

- a) Deviation in the objects or purposes for which the funds have been raised
- b) Deviation in the amount of funds actually utilized as against what was originally disclosed.

For Kosamattam Finance Limited

Mathew K. Cherian Managing Director

DIN: 01286073

